



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/632,571	07/28/2003	William H. Hildebrand	5846.005	5014
30589	7590	03/20/2006	EXAMINER	
DUNLAP, CODDING & ROGERS P.C. PO BOX 16370 OKLAHOMA CITY, OK 73113			DEJONG, ERIC S	
			ART UNIT	PAPER NUMBER
			1631	
DATE MAILED: 03/20/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/632,571	Applicant(s) HILDEBRAND ET AL.	
	Examiner Eric S. DeJong	Art Unit 1631	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☒ Claim(s) 1 and 5 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>07/28/2003</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED OFFICE ACTION

Information Disclosure Statement

The information disclosure statement filed 07/28/2003 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. A copy of citation (E), Gibco BRL Catalog Life Technologies, Inc (1993), has not been provided in the instant application nor in the earlier filed, related applications of 09/846,826 (now abandoned) and 09/021,892 (now Patent No. 6,287,764). Said citation has been placed in the application file, but the information referred to therein has not been considered.

Claim Objections

Claims 1 and 5 are objected to because of the following informalities:

Claims 1 and 5 each set forth a plurality of steps improperly separated by "--". 37 CFR § 1.75 states that when a claim sets forth a plurality of elements or steps, each element or step of the claim should be separated by a line indentation (see also MPEP § 608.01(m)). There may be plural indentations to further segregate subcombinations or related steps. See 37 CFR 1.75 and MPEP 608.01(i)-(p).

Appropriate correction is required.

Specification

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 CFR §§1.821(a)(1) and (a)(2). See, for example, the sequences listed in Table I on pages 25 and 26, Figure 3, and in paragraph 0023 of the instant specification. The requirements of 37 CFR §§1.821 through 1.825 requires the submission of a computer readable form sequence listing, a paper copy for the specification, a statement under 37 CFR §§1.821(f) and (g), and SEQ ID Nos. cited along with each sequence listed in the specification or Figures.

The submission of a computer readable form (CRF), submitted by applicants on 01/28/2004, containing the M13 universal primer sequence disclosed in paragraph 0023 of the instant specification is acknowledged, however the CRF does not contain a listing for the sequences disclosed in Table I on pages 25 and 26 or in Figure 3. Further, the specification does not contain a SEQ ID No cited along with each sequence in the specification or Figures. It is further noted that the instant specification in paragraph 0049 identifies sequences of amplified products located in intron 1, intron 2, or intron 3 along with the citation of SEQ ID Nos.:1-9, however the submitted CRF submitted on 01/28/2004 does not contain listing of any sequences identified as amplified products from intron regions.

Applicants are also reminded that SEQ ID Nos. are not required in the Figures per se, however, the corresponding SEQ ID Nos. then are required in the Brief Description of the Drawings section in the specification. Applicants are also reminded that a CD-

ROM sequence listing submission may replace the paper and computer readable form sequence listing copies. Applicant(s) are given the same response time regarding this failure to comply as that set forth to this Office action. Failure to respond to this requirement may result in abandonment of the instant application or notice of a failure to fully respond to this Office action.

Obviousness-Type Double Patenting

Regarding use of the specification in obviousness-type double patenting rejections, the MPEP states in section 804:

When considering whether the invention defined in a claim of an application is an obvious variation of the invention defined in the claim of a patent, the disclosure of the patent may not be used as prior art. This does not mean that one is precluded from all use of the patent disclosure.

The specification can always be used as a dictionary to learn the meaning of a term in the patent claim. In *re Boylan*, 392 F.2d 1017, 157 USPQ 370 (CCPA 1968). Further, those portions of the specification which provide support for the patent claims may also be examined and considered when addressing the issue of whether a claim in the application defines an obvious variation of an invention claimed in the patent. In *re Vogel*, 422 F.2d 438, 441-42, 164 USPQ 619, 622 (CCPA 1970). The court in *Vogel* recognized "that it is most difficult, if not meaningless, to try to say what is or is not an obvious variation of a claim," but that one can judge whether or not the invention claimed in an application is an obvious variation of an embodiment disclosed in the

Art Unit: 1631

patent which provides support for the patent claim. According to the court, one must first “determine how much of the patent disclosure pertains to the invention claimed in the patent” because only “[t]his portion of the specification supports the patent claims and may be considered.” The court pointed out that “this use of the disclosure is not in contravention of the cases forbidding its use as prior art, nor is it applying the patent as a reference under 35 U.S.C. 103, since only the disclosure of the invention claimed in the patent may be examined.”

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory

Art Unit: 1631

double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1- 6 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-4 of U.S. Patent No. 6,287,764. Although the conflicting claims are not identical, they are not patentably distinct from each other. The instant claims are drawn to methods for typing HLA class I alleles and for determining tissue compatibility comprising amplifying HLA -A, -B, or -C alleles, producing at least two secondary HLA -A, -B, or -C alleles in a locus specific manner, producing at least two secondary HLA -A, -B, or -C locus specific amplicons, preparing at least two secondary amplicons for sequencing provided with an anchoring moiety and the M13 universal primer DNA sequence of SEQ ID No. 1, attaching the anchoring moiety to solid supports, and DNA sequencing each secondary amplicon. The patented claims recite identical methods, but are generic with regards to the use of any primer sequence. However, the disclosure of U.S. patent 6,278,764 specifically teaches the preferred embodiment wherein the M13 universal primer DNA sequence is SEQ ID No. 1 as instantly claimed.

Conclusion

Any inquiry of a general nature or relating to the status of this application should be directed to Legal Instrument Examiner, Tina Plunkett, whose telephone number is (571) 272-0549.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric S. DeJong whose telephone number is (571) 272-6099. The examiner can normally be reached on 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ardin Marschel, Ph.D. can be reached on (571) 272-0718. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight

Art Unit: 1631

(EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center at (800) 786-9199.

EDJ



JOHN S. BRUSCA, PH.D
PRIMARY EXAMINER